

Initial Preparation Date: 9/15/06
Last Revision Date: N/A
Effective Date: 9/25/06

MATERIAL SAFETY DATA SHEET

PRODUCT IDENTITY: MR. CLEAN™ PROTECTANT

1. CHEMICAL PRODUCT & COMPANY INFORMATION

OLD WORLD INDUSTRIES, INC.
4065 COMMERCIAL AVENUE
NORTHBROOK, ILLINOIS 60062
PHONE: 847-559-2000
EMERGENCY PHONE: 1-800-424-9300 (CHEMTREC)

2. COMPOSITION / INFORMATION ON INGREDIENTS

<u>Material</u>	<u>CAS#</u>	<u>% by Wt.</u>	<u>TLV (ACGIH)</u>
Organommodified Polydimethylsiloxane Emulsion	Mixture	> 10.00%	Not established

Includes: Oleic diethanolamides, ethylene glycol, formalin, inhibitors and carriers

3. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

May be harmful or fatal if swallowed.

May cause damage to eyes.

Lowest Known LD50 Rat (Oral): > 5g / kg. – In man, may be harmful or fatal if swallowed

Lowest Known LD50 (Skin): Not established

Carcinogenicity: Not known

National Toxicology Program: Not known

International Agency for Research on Cancer: Not known

OSHA Regulated: Not known

HAZARD RATING SYSTEM

NPFA: Not classified

HMIS: Not classified

POTENTIAL HEALTH EFFECTS

Routes of Entry: Inhalation, Skin, Ingestion

Signs and Symptoms of Exposure:

Eyes: May irritate with slight pain, redness and possible corneal injury.

Skin: A single exposure for several hours may cause slight reddening. Longer contact may cause moderate irritation.

Inhalation: Could cause pulmonary edema at high concentration.

4. FIRST AID MEASURES

Ensure physician has access to this MSDS.

TREATMENT

Eyes: Flush with large amounts of water, lifting upper and lower lids occasionally. Get medical attention.

Skin: Wash off with plenty of water.

Inhalation: If affected, remove individual to fresh air. If breathing is difficult, administer oxygen. If breathing has stopped, give artificial respiration. Keep person warm, quiet and get medical attention.

Ingestion: If swallowed, immediately induce vomiting by giving one or two glasses of water and sticking finger down throat. Call a physician.

Notes to Physician: None

5. FIRE FIGHTING MEASURES

FIRE & EXPLOSION HAZARD DATA

Flammable Properties

Flash Point: > 232° F

Flammability Limits - % of vapor concentration at which product can ignite in presence of spark.

LEL: Unknown

UEL: Unknown

Hazardous Combustion Products: Unknown

Extinguishing Media: May use alcohol foam, carbon dioxide, dry chemical.

Fire Fighting Instructions: Water fog cooling exposed containers. Water and foam may cause frothing.

Protective Equipment For Fire Fighters: Wear self-contained breathing apparatus with full face piece operated in pressure demand or other positive pressure mode when fighting fires.

6. ACCIDENTAL RELEASE MEASURES

Spills:

Small Absorb liquid on paper, vermiculite, floor absorbent, or other absorbent material.

Large

Protect People: Eliminate all ignition sources (flares, flames, including pilot lights, electrical sparks). Persons not wearing protective equipment should be excluded from area of spill until cleanup has been completed.

Protect the Environment: Prevent runoff to sewers, streams or bodies of water. If runoff occurs, notify proper authorities, as requested, that a spill has occurred.

Cleanup: Dike area of spill to prevent spreading. Pump liquid to salvage tank. Remaining liquid may be taken up on sand, clay, earth, floor absorbent or other absorbent material and shoveled into containers.

7. HANDLING AND STORAGE

Do not store near open flames. Do not store near food items.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Respiratory Protection:	N/A
Skin Protection:	Protective gloves not normally required.
Eye Protection:	Safety glasses with eye shields.
Engineering Controls:	Mechanical exhaust generally recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point:	> 210° F
Freeze Point:	Not known
Pounds/Gallon:	8.3
Volatility by Volume:	88% - 89%
Specific Gravity (Water =1):	.9984 (typical)
Vapor Pressure (mm of Hg):	N/A
Vapor Density (Air=1):	2.1
Water Solubility:	Soluble
Appearance:	Opaque amber cream
Odor:	Not known
Melting Point:	Not known
Evaporation Rate (Water = 1):	1.35

10. STABILITY & REACTIVITY DATA

Stability:	Stable
Conditions to Avoid:	Open flames
Incompatibility (Materials to Avoid):	May react with oxidizing agents
Hazardous Decomposition Products:	Thermal decomposition may include carbon monoxide and carbon dioxide
Hazardous Polymerization:	Not known to occur

11. TOXICOLOGICAL INFORMATION

Skin: Not known

Ingestion: Not known

Mutagenicity (The Effects On Genetic Material): Not known

Significant Data With Possible Relevance To Humans: Not known

12. ECOLOGICAL INFORMATION

ENVIRONMENTAL FATE

Movement & Partitioning: No data

Degradation & Transformation: No data

Ecotoxicology: No data

13. DISPOSAL CONSIDERATIONS

Small Spill: Dispose of collected material in accordance with applicable instructions.

Large Spill: Destroy by liquid incineration. Contaminated absorbent may be disposed of in landfill in accordance with local, state and federal regulations.

14. TRANSPORT INFORMATION

U.S. Department of Transportation

This product is not a hazardous material and is not regulated under DOT 49 CFR.

15. REGULATORY INFORMATION

THIS PRODUCT CONTAINS COMPONENT(S) CITED ON THE FOLLOWING REGULATIONS:

CHEMICAL NAME

CAS NUMBER

**United States TSCA
Inventory:**

Water Standards:

Atmospheric Standards: Clean Air Act (1990)

CERCLA: Reportable Quantity (RQ):

SARA Title III:

Section 311/312 - Categories:
Section 312 - Inventory Reporting:
Section 313 - Emission Reporting:
Section 302 - Extremely Hazardous Substances:

State Right-To-Know:

California - Exposure Limits - Ceilings:
Director's List of Hazardous Substances:

Florida - Hazardous Substances List:
Massachusetts - Right-to-Know List:
Minnesota - Haz. Subs. List:
New Jersey - Right-to-Know List (Total):
Pennsylvania Right-to-Know List:

Canadian Regulations:

WHMIS Information: D2A: Refer elsewhere in the MSDS for specific warnings and safe handling information. Refer to the employer's workplace education program.

California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986): This product contains the following chemical(s) known to the State of California to cause birth defects and/or other reproductive harm.

<u>Component</u>	<u>CAS #</u>	<u>Amount</u>
------------------	--------------	---------------

California SCAQMD Rule 443.1 (South Coast Air Quality Management District Rule 443.1, Labeling of Materials Containing Organic Solvents)

16. OTHER INFORMATION

Contact: Thomas Cholke

Phone: (847) 559-2225

Old World Industries, Inc. makes no warranty, representation or guarantee as to the accuracy, sufficiency or completeness of the material set forth herein. It is the user's responsibility to determine the safety, toxicity and suitability of his own use, handling and disposal of this product. Since actual use by others is beyond our control, no warranty, expressed or implied, is made by Old World Industries, Inc. as to the effects of such use, the results to be obtained or the safety and toxicity of this product, nor does Old World Industries, Inc. assume liability arising out of the use by others of this product referred to herein. The data in this MSDS relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process.